

PRODUCT SPECIFICATION

CMIVCPS02002000A Voltage Control Phase Shifter 2-20 GHz

Electrical Specifications

Parameter	Specification	
Frequency Range	2 - 11 GHz	11 - 20 GHz
Phase Range	180° Typ.	180° Typ.
Insertion Loss	5 dB Typ. 6 dB MAX	12 dB Typ. 13 MAX
Insertion Loss Temperature Coefficient	0.07 dB/ °C Typ.	0.07 dB/ °C Typ.
Phase Flatness	±20° Typ. ±25° MAX	±20° Typ. ±25° MAX
Control Voltage	0.5 V MIN 8.5 V Typ.	0.5 V MIN 8.5 V Typ.
Input VSWR	2.5 :1 Typ. 3:1 MAX	3.3 :1Typ. 3.5 :1 MAX
Output VSWR	2.5 :1 Typ. 3 :1 MAX	3.3 :1Typ. 3.5 :1 MAX
0.1 dB Compression Point (P0.1dB)	25 dBm Typ.	25 dBm Typ.
Current	2 mA	
Impedance	50 Ω	
Weight	0.35 Ounces	
Input / Output Connectors	SMA-Female	
Finish	Gold Plated	
Material	Aluminum	
Altitude	30,000 ft. (Epoxy Sealed Controlled Environment)	
	60,000 ft 1.0 psi min (Hermetically Sealed Un-Controlled Environment) (Optional)	
Vibration	25 gRMS (15 degrees 2 kHz) endurance, 1 hr/axis	
Humidity	100% RH @ 35° C, 95% RH @ 40° C	
Shock	20 G for 11 msec Half Sine Wave, 3 Axis Both Directions	
Dimensions	See Attached Drawing (Dimensions are in mm)	

CALL OUR SALES DEPARTMENT FOR MORE INFORMATION OR VARIATIONS OF THIS PRODUCT.

Corry Micronics, Inc. One Plastics Rd. - Corry, PA 16407
(724) 940-7556 ext. 138 Fax (724) 940-7707 www.cormic.com


Corry Micronics Inc. herein referred to CMI, believes this information to be accurate, but makes no warranties, expressed or implied as to the accuracy of this document. CMI assumes no liability for any injury, loss, damage, direct or consequential arising from the use of our products. User assumes all risk whatsoever in connection with its intended use. CMI also reserves the right to change this document without notice. 04/19/2021

PRODUCT SPECIFICATION

Absolute Maximum Ratings

Control Voltage	-0.5 ~ +15V
RF Input Power	+26 dBm

Outline Drawing



CALL OUR SALES DEPARTMENT FOR MORE INFORMATION OR VARIATIONS OF THIS PRODUCT.

Corry Micronics, Inc. One Plastics Rd. - Corry, PA 16407
 (724) 940-7556 ext. 138 Fax (724) 940-7707 www.cormic.com

Corry Micronics Inc. herein referred to CMI, believes this information to be accurate, but makes no warranties, expressed or implied as to the accuracy of this document. CMI assumes no liability for any injury, loss, damage, direct or consequential arising from the use of our products. User assumes all risk whatsoever in connection with its intended use. CMI also reserves the right to change this document without notice. 04/19/2021



PRODUCT SPECIFICATION

CALL OUR SALES DEPARTMENT FOR MORE INFORMATION OR VARIATIONS OF THIS PRODUCT.

Corry Micronics, Inc. One Plastics Rd. - Corry, PA 16407
(724) 940-7556 ext. 138 Fax (724) 940-7707 www.cormic.com

Corry Micronics Inc. herein referred to CMI, believes this information to be accurate, but makes no warranties, expressed or implied as to the accuracy of this document. CMI assumes no liability for any injury, loss, damage, direct or consequential arising from the use of our products. User assumes all risk whatsoever in connection with its intended use. CMI also reserves the right to change this document without notice. 04/19/2021